Agriculture LabWorks LLC 4075 Ruffin Road San Diego, CA 92123 LIC: B2019015666





## **CERTIFICATE OF ANALYSIS**

| CUSTOMER NAME: | CBD Hemp Experts                   | 210908                        |
|----------------|------------------------------------|-------------------------------|
| SAMPLE NAME:   | 25mg CBD - Multicolor Square Gummy |                               |
| SAMPLE ID:     | 210908                             | - AKO Nako WHIRL-PAKO Nakhing |
| SAMPLE TYPE:   | Gummy/Edible                       |                               |
| TEST DATE:     | 15-Sep-2021                        |                               |
| METHOD:        | HPLC (SOP-GUMMY)                   |                               |
| UNIT SIZE (g): | 4.19                               |                               |

## POTENCY CANNABINOID PROFILE

| CANNABINOID   | mg/gummy   | w/w %                              | LOQ    |  |
|---|--|------------------------------------|--------|--|
| CANNABICHROMENE (CBC)   | 0.78   | 0.019                              | 100ppm |  |
| CANNABIGEROL (CBG)  | <loq< th=""><th><loq< th=""><th>100ppm</th></loq<></th></loq<> | <loq< th=""><th>100ppm</th></loq<> | 100ppm |  |
| CANNABIDIOL (CBD)   | 27.91  | 0.666                              | 100ppm |  |
| CANNABINOL (CBN)  | <loq< th=""><th><loq< th=""><th>100ppm</th></loq<></th></loq<> | <loq< th=""><th>100ppm</th></loq<> | 100ppm |  |
| Δ9 TETRAHYDROCANNABINOL (THC)   | 0.65   | 0.016                              | 100ppm |  |
| CANNABIDIVARIN (CBDV)   | <loq< th=""><th><loq< th=""><th>100ppm</th></loq<></th></loq<> | <loq< th=""><th>100ppm</th></loq<> | 100ppm |  |
| NOTES: Average gummy weight = 4.19g   |  |                                    |        |  |
| N/D = CANNABINOID NOT DETECTED<br>LOD = LIMIT OF DETECTION<br>LOQ = LIMIT OF QUANTIFICATION |  |                                    |        |  |

DATA ANALYSIS REVIEWED AND APPROVED BY:

SU

NISRIN SAMSUM

Contact: info@aglabworks.com

15-Sep-2021

DATE

**Head Chemist** 

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.